

Since 1986

**PLASTO**

प्लास्टो है तो गॅरन्टी है।

Faucets

**10**  
Years  
Warranty

Service within  
48 hours

# Bath Fittings

Chrome Plated (CP) Brass Fittings  
with 4 Layer Chrome Plating  
Pneumatic Air Tested

CATALOGUE  
**2025-26**



Elevate your space with timeless elegance

[www.plasto.in](http://www.plasto.in)

Beauty that Lasts forever ...



## I N N O V A T I O N

PLASTO has always believed in the power of innovation, which drives technological advancement, leading to quantum leaps forward in functionality and durability.

We have a team of people dedicated to developing product ranges that are innovative in their form and functional in design. We design products that not only look great but are easy to install, maintain and minimize environmental impact.

### **Casting**

Casted with best in class foundry machines providing uniform wall thickness and added durability.

### **Machining**

Machined using fully automated 8 spindle SPM - CNC machinery.

### **Grinding & Polishing**

Polished with care by our team of highly experienced craftsman.

### **Plating**

Plated using a specialised MTO machine and a proprietary formula for the best in class look & finish.

### **Assembly**

Assembled using automated machinery for reliable consistency.

### **Testing**

Tested using a 2 stage air testing mechanism.

### **Internal Parts**

Child parts (Spindle, Premix, nuts etc) made using premium quality brass



## Everlasting Marvel...

### USP for CP fittings

- Endurance testing: 5,00,000 + turns
- Salt Spray testing: 500 + hours
- German design Spindle with 3 layer leak protection.
- Inhouse production of every casted bathroom fitting
- Reliable consistency and uniform wall thickness.
- All brass child parts.
- Inhouse plating for body, child parts, flange for a uniform finish.
- German brand aerator and best in class rubber parts used.
- Dual pneumatic air testing for body and functionality for each piece.
- Made using only the most premium brass ingots with strict composition control.

### Aerator Technology :

PLASTO uses world class aerators integrated with Radial Dicing structure to protect against lime build up & ensures soft water flow.

### Long Lasting, Excellent Finish :

PLASTO uses latest plating technology to give an aesthetic and elegant look. The mirror shiny surface not only gives rich appearance but also acts as a protection layer towards tolerance to corrosion & poor water quality.

### Operate Smoothly :

PLASTO uses some of the world's best cartridges from a leading European Company, which provides comfort & flawless smooth operation

### Design Expertise :

Our in-house designers work with passion to blend creativity & innovation. They keep exploring new approaches to create new concepts for the future.

### Zero Drip :

Each & every faucet is tested with water pressure & air pressure to ensure that not a single faucet leaves the Unit without quality check.

### Whisper :

Our dedicated team not only designs products that look great but ensures that there is no imitating noise of water hammering.

### Eco Care :


Plasto cares for environment hence the entire team supports & follows eco friendly approaches to save water & energy.

### Features

- With 4 Layer Chrome Plating
- 48 Tanks Chrome Plating Line

### Plating layers :

- Strike Nickel Layer - 4 micron
- Bright Nickel Layer - 8 micron
- Thick Chrome Layer - 0.3 micron
- Hydrophobic Layer



**Arch**



Bib Cock  
Code : 930



Bib Cock Long  
Code : 995



2Way Bib Cock  
Code : 1,130



Pillar Cock  
Code : 1,035



Angle Cock  
Code : 620



2Way Angle Cock  
Code : 1,255



Sink Cock  
Code : 1,435



Swan Neck  
Code : 1,540



Concealed  
Stop Cock  
Size 15 mm  
Code 1,056



Sink Mixer  
Code : 3,455



Wall Mixer Crutch  
Code : 5,070



Wall Mixer NTS  
Code : 4,245



Diverter Upper Trim  
(46CHF28)  
Code : 1,245



Wall Mixer OH  
Code : 5,685



Wall Mixer 3 in 1  
Code : 6,490



Wall Mixer 3 in 1 (ELB)  
Code : 6,540



Wall Mixer OH (ELB)  
Code : 5,735

**Oval**



Bib Cock  
Code : 877



Bib Cock Long  
Code : 946



Pillar Cock  
Code : 1,075



2 Way Bib Cock  
Code : 1,141



Angle Cock  
Code : 645



2 way angle Cock  
Code : 1,260



Sink Cock  
Code : 1,425



Swan Neck  
Code : 1,530



Sink Mixer High Flow (WM)  
Code : 2,805



Concealed Stop Cock  
Size 15 mm  
Code 1,050



**Echo**



Bib Cock  
Code : 940



Bib Cock Long  
Code : 1,005



Pillar Cock  
Code : 1,045



2Way Bib Cock  
Code : 1,145



Angle Cock  
Code : 660



2way Angle Cock  
Code : 1,270



Sink Cock WM  
Code : 1,460



Swan Neck  
Code : 1,570



Sink Mixer WM  
Code : 3,475



Wall Mixer NTS  
Code : 4,270



Wall Mixer Crutch  
Code : 5,105



Sink Mixer High Flow  
Code : 2,885



Concealed Stop Cock  
Size 15 mm  
Code 1,065



Wall Mixer OH  
Code : 5,710



Wall Mixer 3 in 1  
Code : 6,505



Wall Mixer OH (ELB)  
Code : 5,760



Wall Mixer 3 in 1  
Code : 6,560

**Alpha**



Bib Cock  
Code : 1,410



Bib Cock Long  
Code : 1,565



Pillar Cock Long  
Code : 2,580



Pillar Cock  
Code : 1,630



2 Way Bib Cock  
Code : 2,045



2 way Angle Cock  
Code : 1,730



Angle Cock  
Code : 900



Swan Neck



CH Basin Mixer



Sink Cock WM  
Code : 2,570



Wall Mixer NTS  
Code : 4,575



Wall Mixer with  
Crutch  
Code : 5,165



Sink Mixer WM  
Code : 4,230



Wall Mixer OH  
Code : 5,725



Wall Mixer 3in1  
Code : 6,495



Concealed Stop Cock  
Size 15 mm  
Code 1,300

**Beta**



Bib Cock  
Code : 1,370



Bib Cock Long  
Code : 1,505



Pillar Cock  
Code : 1,645



Pillar Cock Tall  
(High Flow)  
Code : 2,900



2 Way Bib Cock  
(CC)  
Code : 1,665



2way Angle Cock  
Code : 1,815



Angle Cock  
Code : 1,070



SL Basin Mixer  
Code : 3,795



Sink Cock WM  
Code : 2,000



CH Basin Mixer  
Code : 3,500



Swan Neck  
Code : 2,790



Sink Mixer WM  
Code : 4,315



Bath Spout  
Code : 1,230



Bath Spout Tip Ton  
Code : 2,085



Wall Mixer Crutch  
Code : 5,665



Wall Mixer NTS  
Code : 4,695



Wall Mixer 3 in 1  
Code : 6,810



Wall Mixer OH  
Code : 6,230



Wall Mixer OH (ELB)  
Code : 6,280



Wall Mixer 3 in 1 (ELB)  
Code : 6,860



Concealed Stop Cock  
Size 15 mm  
Code 1,200



**Gamma**



Bib Cock  
Code : 1,290



Bib Cock Long  
Code : 1,395



Pillar Cock  
Code : 1,650



Pillar Cock Tall  
High Flow  
Code : 2,930



2 Way Bib Cock  
Code : 1,495



2way Angle Cock  
Code : 1,685



Angle Cock  
Code : 1,120



Swan Neck  
Code : 2,725



SL Basin Mixer



Sink Cock WM  
Code : 2,565



CH Basin Mixer



Sink Mixer WM  
Code : 4,210



Wall Mixer NTS  
Code : 4,110



Wall Mixer Crutch  
Code : 5,215



Wall Mixer 3in1  
Code : 6,445



Wall Mixer OH  
Code : 5,785



Concealed  
Stop Cock

Size 15 mm  
Code 1,242

**Omega**



Bib Cock  
Code : 1,375



Bib Cock Long  
Code : 1,520



2Way Bib Cock  
Code : 1,995



Pillar Cock  
Code : 1,585



Pillar Cock Long  
Code : 2,530



Angle Cock  
Code : 850



2way Angle Cock  
Code : 1,635



Swan Neck



Sink Cock WM  
Code : 2,600



Sink Mixer WM  
Code : 4,120



Wall Mixer Crutch  
Code : 5,145



Wall Mixer NTS  
Code : 3,950



Wall Mixer OH  
Code : 5,745



Wall Mixer 3 in 1  
Code : 6,555



Concealed Stop Cock  
Size 15 mm  
Code 1,225



**Congo**



Bib Cock Long  
Code : 2,485



2Way Bib Cock  
Code : 2,855



Angle Cock  
Code : 1,575



SL Basin Mixer  
Code : 5,075



Pillar Cock  
Code : 3,000



Bath Spout  
Code : 1,915



Bath Spout Tip Ton



Diverter Upper Trim  
(46CHF28)  
Code : 1,420



Concealed Stop Cock  
Size 15 mm  
Code 1,510



**Nile**



Bib Cock  
Code : 2,350



2 Way Bib Cock  
Code : 2,690



Angle Cock  
Code : 1,525



Pillar Cock  
Code : 2,945



Bath Spout  
Code : 1,720



Bath Spout Tip Ton



Diverter Upper Trim  
(46CHF28)  
Code : 1,500



Concealed Stop Cock  
Size 15 mm  
Code 1,550



**Cocks**



Forged Angle Cock  
(Flora) with Plate

Size 15 mm  
Code 425  
Qty 1



Forged Angle Cock  
(Triangle) with  
Plated Flange

Size 15 mm  
Code 450  
Qty 1



Concealed Flush  
Cock

Size 25 mm  
Code 1,365  
Qty 1

## Purposeful Functions...

Exquisite details provide soft curves and firm grip. Wall mounted valve and cock leaves floor and wall decent and clean.



**Diverters & Plates**

 <p><b>New</b> Forged Body High Flow 46 mm (46CHF28)</p>	 <p>Forged Body High Flow (46KHF11)</p>	 <p>Diverter Plate Brass (Rectangle) Compatible with (46KHF11)</p>	 <p>Diverter Plate Brass (Round) Compatible with (46KHF11)</p>	 <p>Finke Diverter Upper Trim (46CHF28)</p>	 <p>Nebula Diverter Upper Trim (46CHF28)</p>
<p>Size 46 mm Code 4,770</p>	<p>Size 45 mm Code 5,365</p>	<p>Size 180x130 mm Code 990</p>	<p>Size 165 mm Code 935</p>	<p>Code 1,390</p>	<p>Code 1,510</p>

**Handles**

Compatible with Diverter Body 46KHF11

 <p>Congo</p>	 <p>Nebula</p>	 <p>Nile</p>	 <p>Finke</p>
<p>Size 40mm Code 750</p>	<p>Size 40mm Code 905</p>	<p>Size 40mm Code 840</p>	<p>Size 40mm Code 700</p>

Bringing new and creative accessories to an extraordinary bathroom.



**Flush Valve  
Metropole**



Product	Size & Code		
	25mm (1")	32mm (1 1/4")	40mm (1 1/2")
Single Push Round Plate	4,560	4,835	4,955
Single Push Square Plate	4,595	4,850	4,980
Dual Push Round Plate		5,385	5,435
Dual Push Square Plate		5,410	5,470



Spindle



Tipton

Size 15 mm  
Code 318  
Box Qty 16

Code 701  
Box Qty 5



Cartridge (Tiktak)



Cartridge (Tiktak)

Size 30mm  
Code 446  
Box Qty 5

Size 22mm  
Code 401-1  
Box Qty 5

**Consumables**

Brass Extension Nipple



Size		Code	Size		Code
25 mm	1"	84-8	76 mm	3"	245-2
38 mm	1.5"	125-2	102 mm	4"	325-1
50 mm	2"	165	128 mm	5"	410
64 mm	2.5"	205-1	153 mm	6"	490-1

# F a u c e t s



## SHREYA PLASTO BATHWARE PVT. LTD.

J-29, Hingna MIDC, Industrial Area, Nagpur - 440016, Nagpur, Maharashtra

Email : [Purchase.shreya@plasto.in](mailto:Purchase.shreya@plasto.in), [info@plasto.in](mailto:info@plasto.in),

Contact - CUSTOMER CARE OFFICER, (Address as above), Mob : 08600123318,

email : [customercare@plasto.in](mailto:customercare@plasto.in), [www.plasto.in](http://www.plasto.in)

Disclaimer : All information contained in this price list product catalogue is given in good faith and believed to be accurate & reliable. No responsibility can be accepted for any errors/ommission or incorrect assumption. Any specification can change without prior notice. All images are shown for representation purpose only